


Unisto Compact



Pull-tight security seal mainly used in Airlines, Cash in transit and Transport industries fits to applications as Duty-free trolleys, Boxes & Cases and Taxi Meters. Due to its thin ribbon it fits to eyelets greater than 2.0 mm. Highly tamper-evident security seal. Numbered or Bar-coded enables very fast recording of seal numbers and optimizes logistic processes. Various ribbon lengths available. The version with PA is also with tear-off facility available

Features of this security seal

Type of Seal


Adjustable Length Seals

Application

Trolleys, Boxes and Cases

- › Ribbon diameter 2.0 mm fits small eyelets
- › Locking mechanism of stainless spring steel increases tamper-resistance
- › Version made of PP is easy to remove by hand
- › Flat construction fits into small areas
- › Various colours for logistical functions
- › Customer name/logo for clear identification
- › Mats of 10 seals allows sequential distribution

Minimum size



Technical Data Version Polyamide (PA)

Materials

Ribbon/housing: polyamide (PA)

Disc: polyamide (PA)

Locking mechanism: stainless spring steel

Tensile strength (loop), Unisto standard

Approx. 18 kg

Numbering

7 digits

Barcoding

Interleaved 2/5 or barcode 128

Customer name/logo

Foil printed or digital printing

Colours - numbered or digital printing version

Dark blue, dark green, red, grey, yellow, white, black

Other colours available on request

Packing

Mats of 10 pieces, box of 1000 seals

PA 120 37.0 x 20.3 x 15.0 cm (0.012 m³), approx. 2.7 kg

PA 225 37.0 x 20.3 x 15.0 cm (0.012 m³), approx. 3.1 kg


Storage

Seals should be stored in original box away from direct sunlight and chemical fumes.

Store at 22°C/50% RH. Typical shelf life of seals made of PP and PA are approx. 18 months from date of manufacture.

Nevertheless please do not order more than an annual quantity.

Minimum size



Technical Data Version Polypropylene (PP)

Materials

Ribbon/housing: polypropylene (PP)
Disc: polypropylene (PP)
Locking mechanism: stainless spring steel

Tensile strength (loop), Unisto standard

Approx. 12 kg

Numbering

7 digits

Barcoding

Interleaved 2/5 or barcode 128

Customer name/logo

Foil printed or digital printing

Colours - numbered version

Dark blue, dark green, red, grey, yellow, white, black
Other colours available on request

Colours - Barcode directly laser marked

White, yellow, apricot, pink, purple, grey, light brown

Packing

Mats of 10 pieces, box of 1000 seals
PP 120 37.0 x 20.3 x 15.0 cm (0.012 m³), approx. 2.2 kg
PP 225 37.0 x 20.3 x 15.0 cm (0.012 m³), approx. 2.6 kg
PP 340 59.0 x 20.0 x 13.0 cm (0.015 m³) approx. 2.7 kg


Storage

Seals should be stored in original box away from direct sunlight and chemical fumes.

Store at 22°C/50% RH. Typical shelf life of seals made of PP and PA are approx. 18 months from date of manufacture.

Nevertheless please do not order more than an annual quantity.

How to close



How to open

